

HOTEL Series

Recessed Downlight, 8W / 10W

N51RF01N



GENERAL

IP20 Indoor lighting type
 IP44 , IP65 Option
 recessed / fixed / adjustable / round

SPECIFICATION

Material : Die-cast aluminum body.
 Frame Color : Black
 Trim Color : White, Black
 Optical : cut-off 38° (UGR<19)

LED LAMPS

Module COB M50
 CRI : 90+
 Color Consistency : SDCM ≤2
 CCT : 2700K, 3000K, 3500K, 4000K
 Beam angle : 15°, 24°, 36°, 50°
 Average lifetime : 50,000h@80% (L80)
 Warranty : 5 years limited warranty

N51RA01N



INSTALLATION

Recessed mounted.

ELECTRICAL (driver)

Input voltage : 220-240V, 50/60Hz
 Power factor : >0.9

ANTI-GLARE ACCESSORY

☐ Honeycomb filter ☐ Soft lens



DIMMING CONTROL

☐ N = On-off ☐ T = Phase dim
☐ V = 0/1-10V ☐ D = DALI
☐ C = CASAMBI ☐ D2 = D2W

SECONDARY REFLECTOR COLOR

☐ Matte Black ☐ Matte White ☐ Matte Silver ☐ Matte Gold




N51RF01T / N51RA01T




DRAWING (mm) : Trim For Hotel Series



N51RF01N / N51RA01N



N51RF01T / N51RA01T (Trimless)




Trim For Hotel Series



ORDER INFORMATION

CODE No.	LED POWER (W/LUMEN)	TRIM COLOR	CRI (Ra)	CCT (K)	BEAM (D)
☐ N51RF01N round/ fixed	☐ L05 - 8W 570lm	☐ W White	☐ 90+ SDCM ≤2	☐ 2700K ☐ 3000K ☐ 3500K ☐ 4000K	☐ 15° ☐ 24° ☐ 36° ☐ 50°
☐ N51RA01N round / adjust.	☐ L05 - 10W 595lm	☐ B Black		☐ TW Tunable White 2700K-6500K ☐ DW Dim to Warm 1800K-3000K	
☐ N51RF01T round / fixed trimless					
☐ N51RA01T round / adjust. trimless					

PROJECT : _____
 LOCATION : _____
 TYPE OF LUMINAIRE : _____
 PRODUCT DATASHEET





HOTEL Series

Recessed Downlight, 10W / 15W



Trim For Hotel Series



GENERAL

IP20 Indoor lighting type
 IP44 , IP65 Option
 recessed / fixed / adjustable / round

SPECIFICATION

Material : Die-cast aluminum body.
 Frame Color : Black
 Trim Color : White, Black
 Optical : cut-off 38° (UGR<19)

LED LAMPS

Module COB M60
 CRI : 90+
 Color Consistency : SDCM ≤2
 CCT : 2700K, 3000K, 3500K, 4000K
 Beam angle : 10°, 15°, 24°, 36°, 50°
 Average lifetime : 50,000h@80% (L80)
 Warranty : 5 years limited warranty

ELECTRICAL (driver)

Input voltage : 220-240V, 50/60Hz
 Power factor : >0.9

INSTALLATION

Recessed mounted.

ANTI-GLARE ACCESSORY

☐ Honeycomb filter ☐ Soft lens




SECONDARY REFLECTOR COLOR

☐ Matte Black ☐ Matte White ☐ Matte Silver ☐ Matte Gold




DRAWING (mm) : Trim For Hotel Series

N61RF01N / N 61RA01N



N61RF01T / N61RA01T (Trimless)



ORDER INFORMATION


CODE No.	LED POWER (W/LUMEN)	TRIM COLOR	CRI (Ra)	CCT (K)	BEAM (D)
☐ N61RF01N round / fixed	☐ L07 - 10W 760lm	☐ W White	☐ 90+ SDCM ≤2	☐ 2700K ☐ 3000K ☐ 3500K ☐ 4000K	☐ 10° ☐ 15° ☐ 24° ☐ 36° ☐ 50°
☐ N61RA01N round / adjust.	☐ L10 - 15W 1097lm	☐ B Black		☐ TW Tunable White 2700K-6500K ☐ DW Dim to Warm 1800K-3000K	
☐ N61RF01T round / fixed trimless					
☐ N61RA01T round / adjust. trimless					

Super Modular Design

Any parts could be replaced manually without tools

เปลี่ยนหลอดจากด้านหน้าโคม


 No tools




One LED Module shares numerous mounting rings



Color Sense Control



WALL WASHING SUGGESTED SPACING AND WALL DISTANCE



Ultra Easy Installation (6 Step)



Ceiling Thickness

